

ENGEL A Legend in Reliability

ENGEL DAY COOLERS

Three popular sizes
13, 19, 30 US Qt.

Page 1



ENGEL 8-10 DAY DeepBlue COOLERS

Seven popular sizes
25, 35, 65, 80, 123, 240, 320 US Qt.

Page 2



ENGEL AC/DC FRIDGE FREEZERS

Seven popular sizes
15, 16, 34, 40, 43, 64, 84 US Qt.

Page 3



ENGEL DAY COOLERS - DRY BOX

* Lunches * Fishing * Medical * Day trips * Ideal gift item



UC13

Model: 13 US QT.
Outside: 15 x 10 x 11 in.
Inside: 12 x 7 x 8.5 in.
Holds: 12 cans of pop
Weight: 4.60 lbs
Colour: White or Tan
Includes: Shoulder strap
Packed: One per box or
Promo pack of 6




UC19

Model: 19 US QT.
Outside: 16.6 x 11 x 13 in.
Inside: 13.5 x 8 x 10 in.
Holds: 21 cans of pop
Weight: 5.70 lbs
Colour: White or Tan
Includes: Shoulder strap
Packed: One per box or
Promo pack of 4



UC30

Model: 30 US QT.
Outside: 19.5 x 12.5 x 14.5 in.
Inside: 16.5 x 9.5 x 11.5 in.
Holds: 30 cans of pop
Weight: 7.70 lbs
Colour: White or Tan
Includes: Shoulder strap
Packed: One per box or
Promo pack of 4



DELUXE DOOR SEAL KEEPS COLD IN
If some ice melts and the cooler tips over in your car, no problem. There will be no mess to lean up. Door seal makes cooler leak proof.

- Quality Injection Molded (PP Copolymer)
- Insulated with High-Grade Polystyrene foam
- Airtight EVA Gasket Seal
- Recessed ABS Carrying Handles
- Shoulder Strap included for easy carrying
- Self - Stopping ABS Hinges
- Stainless Steel Latches
- All Fittings Secured with Stainless Steel Screws
- Stain and Odor Resistant
- Non-Absorbent Surface
- Easy to Clean
- Compact and Lightweight
- Three Sizes, 13, 19, 30 Qt.
- Available in White or Tan

* Deluxe shoulder strap included

Can be used for day coolers or as a dry box for storing valuable items

ENGEL DeepBlue BEAR RESISTANT 8 - 10 DAY COOLERS*



ENG25 White or Tan



ENG35 White or Tan



ENG65 White or Tan

* 2 inches of insulation, top, bottom and sides * Silicone lid seal, some companies still use rubber or none at all



ENG80 White or Tan



ENG123 White or Tan



ENG240 White

* Better Latches, do not stick out * Smooth clean cut, awesome design, no ugly chunks of plastic sticking out



ENG 320 White

MODEL	SIZE	OUTSIDE	WEIGHT
ENG25	25 Qt.	20.5 x 14.25 x 13.8	18 lbs.
ENG35	35 Qt.	25.4 x 14.8 x 15.1	22 lbs.
ENG65	65 Qt.	29.9 x 16.8 x 16.5	28 lbs.
ENG80	80 Qt.	34.8 x 16.8 x 17.6	33 lbs.
ENG123	123 Qt.	42 x 18.8 x 17.7	45 lbs.
ENG240	240 Qt.	51.8 x 22.2 x 21	68 lbs.
ENG320	320 Qt.	62 x 22.7 x 22.1	102 lbs.

- Best in class ice retention, 2 inches of insulation all around. In the lid, sides and bottom
- Air tight food-grade silicone freezer gasket
- Sturdy non-skid lid, suitable for sitting
- Flush mounted marine grade deluxe latches
- Non skid feet, elevates cooler off the floor
- Heavy duty rope handles, built in hand grips
- Cooler floor is pitched, easy to drain
- Dry ice compatible
- Dual padlock holes, Bear Resistant
- Food grade plastic resists stains, easy to clean
- Lid has I-beam inserts prevents lid warping
- Tie down mount slots built into the cooler
- Full length self-stopping rear hinge. Heavy duty
- Unique recessed "one twist" opening with lanyard hole
- Durable seamless rotationally-molded construction
- IGBC Certified Bear Resistant

Bear Resistant
Use one lock on
each lid corner



Quart sizes are in USA measurements.
* 8-10 day under controlled conditions.
Results may vary

2 Inch Insulation
Top — Sides — Bottom

ENGEL FRIDGE / FREEZERS

Use as a fridge or use as a freezer. 12V/24V DC/110V AC



ENGEL MD14F
DC FRIDGE FREEZER
 12V/24V DC unit
 Inside: 13.75 x 7.5 x 8.2
 Outside: 17.5 x 11.3 x 15.8
 Weight: 26 lbs. 15 US Qt.
 Power: Variable 0.9-2.8 amps.



ENGEL MT17-U1
AC/DC FRIDGE FREEZER
 12V/24V DC/110V AC unit
 Inside: 11.5 x 8 x 10
 Outside: 21.2 x 12 x 14.2
 Weight: 37 lbs. 16 US Qt.
 Power: Variable 0.6-2.3 amps.



ENGEL MT35F-U1
AC/DC FRIDGE FREEZER
 12V/24V DC/110V AC unit
 Inside: 15.4 x 10.8 x 12.4
 Outside: 25.5 x 14.3 x 16
 Weight: 46.3 lbs. 34 US Qt.
 Power: Variable 0.7-2.5 amps.



ENGEL MRO40F-U1
AC/DC FRIDGE FREEZER
 12V/24V DC/110V AC unit
 Inside: 14.5 x 10.5 x 14.4
 Outside: 25 x 15.5 x 18.5
 Weight: 48 lbs. 40 US Qt.
 Power: Variable 0.7-2.5 amps.



ENGEL MT45F-U1
AC/DC FRIDGE FREEZER
 12V/24V DC/110V AC unit
 Inside: 15.4 x 10.8 x 16.4
 Outside: 25.5 x 14.3 x 20
 Weight: 52.9 lbs. 43 US Qt.
 Power: Variable 0.7-2.5 amps.



ENGEL MT60F-U1
DC FRIDGE FREEZER
 12V/24V DC/110V AC unit
 Inside: 20.1 x 14.9 x 12.4
 Outside: 31.1 x 19.3 x 17.4
 Weight: 68.3 lbs. 64 US Qt.
 Power: Variable 0.7-3.6 amps.



ENGEL MT80F-U1
DC FRIDGE FREEZER
 12V/24V DC/110V AC unit
 Inside: 20.1 x 14.9 x 16.7
 Outside: 31.1 x 19.3 x 21.7
 Weight: 86 lbs. 84 US Qt.
 Power: Variable 0.7-3.6 amps.



The F Series Swing Motor is 40% more efficient than traditional compressors. Spring mounted in a steel cocoon, the Engel swing motor is maintenance free and designed to do its job in extreme conditions. Vibration resistant and capable of unaffected operation at inclines of up to 30 degrees. When you're managing a limited amount of 12V power, this extraordinary piece of engineering provides the refrigeration you need without placing unreasonable demand on your batteries. In fact Engel fridge/freezers draw a fraction of an amp once they are up and running. With just one moving part, this motor is the epitome of efficiency. Its piston action is powered by electro-magnets. Start-up power draw is minimal, with the piston moving just a fraction of an inch and gradually gaining speed. (Just the opposite of a traditional compressor which places an enormous draw on your batteries every time it starts up.)

UK Products Canada Inc.

16652 - 117 Avenue, Edmonton, Alberta T5M 3W2
 Phone Toll Free: (877) 560-2350
 Phone: (780) 484-2350 • Fax: (780) 444-3989
www.underwaterkineticscanada.com
info@underwaterkineticscanada.com